

# Leak Testing Machines

Performance Test Bench



Pulsation Test Bench



For Turbine Housing



For Cylinder Head



For Gas Regulator



For Breather Hole



# Leak Tester Models

## HS Series HS 803 & HS 804\_EL

HIGH PRECISION | EASY TO USE | VERSATILE



**Salient Features :**

- |                                  |                                       |
|----------------------------------|---------------------------------------|
| Pressure Range : 0.1 to 12 bar   | Selectable Leak Unit                  |
| Resolution : 1 Pa, 0.1 Pa        | Manual or Electronic Regulator        |
| RS 485                           | Prefill Arrangement for Large Volumes |
| 4.3" Touch Panel                 | Graphical Presentation on Display     |
| Password Protected               | 100 Selectable Tables                 |
| Selectable Various Pressure Unit |                                       |



## HS 805\_EL

HIGH PRECISION | EASY TO USE



**Salient Features :**

- |                                |                                  |
|--------------------------------|----------------------------------|
| Pressure Range : 0.1 to 10 bar | Selectable Various Pressure Unit |
| Resolution : 1 Pa              | Selectable Leak Unit             |
| RS 485, RS 232                 | Manual Regulator                 |
| 4.3" Touch Panel               | Single Selectable Table          |
| Password Protected             |                                  |



## HS 806\_EL

HIGH PRECISION | EASY TO USE



**Salient Features :**

- |                                |   |
|--------------------------------|---|
| Pressure Range : 0.1 to 10 bar | Selectable Various Pressure Unit              |
| Resolution : 1 Pa              | Selectable Leak Unit                          |
| RS 485, RS 232                 | Manual Regulator -Externally Needs to Connect |
| 4.3" Touch Panel               | Single Selectable Table                       |
| Password Protected             |   |



## HS-2N

HIGH PRECISION | EASY TO USE



**Salient Features :**

- |                                |                                  |
|--------------------------------|----------------------------------|
| Pressure Range : 0.1 to 10 bar | Selectable Various Pressure Unit |
| Resolution : 1 Pa              | Selectable Leak Unit             |
| RS 485 / Ethernet              | Single Selectable Table          |



# Vacuum Leak Tester

HS 303\_EL

HIGH PRECISION | EASY TO USE | VERSATILE



**Salient Features :**

- |                                  |  |
|----------------------------------|--|
| Pressure Range : up to 900 bar   | Selectable Various Pressure Unit         |
| Resolution : 1 Pa                | Selectable Flow Unit                     |
| Flow Range : 0-5, 0-20, 0-50 LPM | Manual or Electronic Pressure Regulation |
| RS 485                           | Graphical Presentation                   |
| 4.3" Touch Panel                 | 100 Selectable Tables                    |
| Password Protected               |  |



# Flow Tester

HS 603\_EL

HIGH PRECISION | EASY TO USE | VERSATILE



**Salient Features :**

- |                                  |  |
|----------------------------------|--|
| Pressure Range : up to 2 bar     | Selectable Various Pressure Unit         |
| Resolution : 0.001 LPM           | Selectable Flow Unit                     |
| Flow Range : 0-5, 0-20, 0-50 LPM | Manual or Electronic Pressure Regulation |
| RS 485                           | Graphical Presentation                   |
| 4.3" Touch Panel                 | 100 Selectable Tables                    |
| Password Protected               |  |




# Quick Sealing Connectors

## Internal Diameter

Pneumatically Operated



Manually Operated



## External Diameter

Pneumatically Operated



Manually Operated



## Internal Threads

Male Thread Connector



Female Threaded Connector



## Quick Sealing Connectors

### Special Connectors

